

Name: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_ MR: \_\_\_\_\_

## PATIENT HEALTH QUESTIONNAIRE-9 (PHQ-9)

Over the **last 2 weeks**, how often have you been bothered by any of the following problems?  
(Use "✓" to indicate your answer)

	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself — or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way	0	1	2	3

FOR OFFICE CODING   0   +      +      +       
=Total Score:     

If you checked off **any** problems, how **difficult** have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Therapist: \_\_\_\_\_ Therapist Signature: \_\_\_\_\_

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

Name: \_\_\_\_\_ MR: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

## GAD-7

Over the **last 2 weeks**, how often have you been bothered by the following problems?

Not  
at all

Several  
days

More than  
half the  
days

Nearly  
every day

(Use "✓" to indicate your answer)

1. Feeling nervous, anxious or on edge	0	1	2	3
2. Not being able to stop or control worrying	0	1	2	3
3. Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it is hard to sit still	0	1	2	3
6. Becoming easily annoyed or irritable	0	1	2	3
7. Feeling afraid as if something awful might happen	0	1	2	3

(For office coding: Total Score T \_\_\_\_ = \_\_\_\_ + \_\_\_\_ + \_\_\_\_ )

Severity Range:

\_\_\_ 0-4: Minimum

\_\_\_ 5-9: Mild

\_\_\_ 10-14: Moderate

\_\_\_ 15-21: Severe

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

Therapist: \_\_\_\_\_ Therapist Signature: \_\_\_\_\_

# Adult Self-Report Scale (ASRS) Symptom Checklist

Patient Name	Today's Date					Score					
<p>Please answer the questions below, rating yourself on each of the criteria shown using the scale on the right side of the page. As you answer each question, circle the correct number that best describes how you have felt and conducted yourself over the past 6 months. Please give this completed checklist to your healthcare professional to discuss during today's appointment.</p>						Never	Rarely	Sometimes	Often	Very Often	Score
1. How often do you make careless mistakes when you have to work on a boring or difficult project?	0	1	2	3	4						
2. How often do you have difficulty keeping your attention when you are doing boring or repetitive work?	0	1	2	3	4						
3. How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?	0	1	2	3	4						
4. How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?	0	1	2	3	4						
5. How often do you have difficulty getting things in order when you have to do a task that requires organization?	0	1	2	3	4						
6. When you have a task that requires a lot of thought, how often do you avoid or delay getting started?	0	1	2	3	4						
7. How often do you misplace or have difficulty finding things at home or at work?	0	1	2	3	4						
8. How often are you distracted by activity or noise around you?	0	1	2	3	4						
9. How often do you have problems remembering appointments or obligations?	0	1	2	3	4						
<b>Part A – Total</b>											
10. How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?	0	1	2	3	4						
11. How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	0	1	2	3	4						
12. How often do you feel restless or fidgety?	0	1	2	3	4						
13. How often do you have difficulty unwinding and relaxing when you have time to yourself?	0	1	2	3	4						
14. How often do you feel overly active and compelled to do things, like you were driven by a motor?	0	1	2	3	4						
15. How often do you find yourself talking too much when you are in social situations?	0	1	2	3	4						
16. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?	0	1	2	3	4						
17. How often do you have difficulty waiting your turn in situations when turn taking is required?	0	1	2	3	4						
18. How often do you interrupt others when they are busy?	0	1	2	3	4						
<b>Part B – Total</b>											

# The CRAFFT Screening Questions

Please answer all questions honestly; your answers will be kept confidential.

## Part A

During the **PAST 12 MONTHS**, did you:

No

Yes

1. Drink any alcohol (more than a few sips)?

2. Smoke any marijuana or hashish?

3. Use anything else to get high?

"anything else" includes illegal drugs, over the counter and prescription drugs, and things that you sniff or "huff"

If you answered **NO** to **ALL** (A1, A2, A3) answer **only B1** below, then **STOP**.

If you answered **YES** to **ANY** (A1 to A3), answer **B1 to B6** below.

## Part B

No

Yes

1. Have you ever ridden in a **CAR** driven by someone (including yourself) who was "high" or had been using alcohol or drugs?

2. Do you ever use alcohol or drugs to **RELAX**, feel better about yourself, or fit in?

3. Do you ever use alcohol or drugs while you are by yourself, or **ALONE**?

4. Do you ever **FORGET** things you did while using alcohol or drugs?

5. Do your **FAMILY** or **FRIENDS** ever tell you that you should cut down on your drinking or drug use?

6. Have you ever gotten into **TROUBLE** while you were using alcohol or drugs?

Therapist: \_\_\_\_\_ Therapist Signature: \_\_\_\_\_

### CONFIDENTIALITY NOTICE:

The information on this page may be protected by special federal confidentiality rules (42 CFR Part 2), which prohibit disclosure of this information unless authorized by specific written consent. A general authorization for release of medical information is NOT sufficient.

Name: \_\_\_\_\_ MR: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

### Rosenberg's Self-Esteem Scale (Rosenberg, 1965)

**Instructions:** Below is a list of statements dealing with your general feelings about yourself. Please indicate how strongly you agree or disagree with each statement.

	Strongly Agree	Agree	Disagree	Strongly Disagree
1. I feel that I'm a person of worth, at least on an equal plane with others.				
2. I feel that I have a number of good qualities.				
3. All in all, I am inclined to feel that I am a failure.				
4. I am able to do things as well as most other people.				
5. I feel I do not have much to be proud of.				
6. I take a positive attitude toward myself.				
7. On the whole, I am satisfied with myself.				
8. I wish I could have more respect for myself.				
9. I certainly feel useless at times.				
10. At times I think I am no good at all.				

Total Score: \_\_\_\_\_

**Scoring:** To score the items, assign a value to each of the 10 items as follows:

- For items 1, 2, 4, 6, 7: Strongly Agree=3, Agree=2, Disagree=1, and Strongly Disagree=0.
- For items 3, 5, 8, 9, 10 (which are reversed in valence, and noted with the asterisks\*\* below): Strongly Agree=0, Agree=1, Disagree=2, and Strongly Disagree=3.

The scale ranges from 0-30, with 30 indicating the highest score possible. Higher scores indicate higher self-esteem. Scores below 15 indicate low self-esteem.

Therapist: \_\_\_\_\_ Therapist Signature: \_\_\_\_\_